

HOW  
SOFT  
CAN IT  
GET?

SOFT ACOUSTICS


  
WEVER & DUCRÉ  
LIGHTING



**MIRRO SOFT**  
p. 14



**SOLLI COCOON**  
p. 10



**TAPIS SOFT**  
p. 22



# BEAUTIFUL AND QUIET

SOMETIMES SILENCE IS ALL WE WANT TO HEAR

We go jogging with earphones, dance to loud techno beats, and try to hold conversations with clients in crowded restaurants. In our modern world we are constantly surrounded by sound. So it's no wonder that we sometimes long for silence. Especially when we want to withdraw, work undisturbed, or discuss important things. We prefer to do all this in spaces in which we feel comfortable and which "sound" good to us. That's why pleasant acoustics are essential in hotels, restaurants, and offices. However, they also play a major role in our well-being within our own four walls.

But what does any of this have to do with our lights? A lot. Because Wever & Ducré's new soft collection not only provides atmospheric light and accentuates designs beautifully, but also improves acoustics.

Wir gehen mit Kopfhörern laufen, tanzen zu lauten Electro-Beats und versuchen, uns im überfüllten Restaurant mühsam auf ein Kundengespräch zu konzentrieren. In unserer modernen Welt sind wir ständig von Geräuschen umgeben. Da ist es kein Wunder, dass wir uns manchmal nach der Stille sehnen. Vor allem, wenn wir uns zurückziehen, ungestört arbeiten oder wichtige Gespräche führen möchten. All das tun wir am liebsten in Räumen, in denen wir uns wohlfühlen. Und die für uns gut „klingen“. Deshalb ist eine angenehme Akustik nicht nur in Hotels, Restaurants oder Büros wichtig. Auch in den eigenen vier Wänden spielt sie für unser Wohlbefinden eine große Rolle.

Was das mit unseren Leuchten zu tun hat? Viel. Denn die neue Wever & Ducré Soft-Kollektion sorgt nicht nur für stimmungsvolles Licht und schöne Designakzente, sondern auch für eine bessere Akustik.

“Whether or not we feel comfortable in a room also depends on how it sounds.”

KATHARINA SCHMIDT  
PRODUCT MANAGEMENT




# FIRST IT WAS A BOTTLE

## NOW IT REDUCES ANNOYING NOISES

Everyone has probably held a PET bottle in their hands at some point. But only very few would suspect that it can also be used to improve room acoustics. Before this can happen, however, it has to be shredded into flakes, together with other recyclable PET packaging, and processed into fine fibres. These are then needle felted and turned into a high-quality PET felt. The result is a 100% recyclable, dyeable material with a premium appearance and excellent acoustic properties. There is no better way to combine form and function.

Eine PET-Flasche hat wohl jeder schon mal in der Hand gehabt. Aber nur die wenigsten würden vermuten, dass man mit ihr auch für eine bessere Raumakustik sorgen kann. Bevor es allerdings soweit ist, muss sie – gemeinsam mit anderen recyclingfähigen PET-Verpackungen – in Flakes zerkleinert und zu feinen Fasern verarbeitet werden. Diese werden dann genadelt und in einen hochwertigen PET-Filz verwandelt. Das Ergebnis: ein zu 100% recyclingfähiges, färbbares Material, das nicht nur über eine edle Optik, sondern auch über gute akustische Eigenschaften verfügt. Schöner lassen sich Form und Funktion nicht verbinden.

	<b>LF</b>	Felt Limestone
	<b>MF</b>	Felt Marble Grey
	<b>OF</b>	Felt Oxide Red
	<b>WF</b>	Felt White
	<b>AF</b>	Felt Anthracite
	<b>IF</b>	Felt Indigo Blue



\*for specific information on colour and finishes, please refer to [weverducre.com/materials](https://weverducre.com/materials)

# WHAT DID YOU JUST SAY?


## TOO MUCH NOISE IN HERE

A cosy café, no rush, and next to us a good friend who wants to share a really exciting story. But all we hear are clinking glasses and loud chatter from the neighbouring table. Well, bad acoustics can be quite annoying. And a sound can quickly turn into noise. So it's no surprise that we feel anxious or tense in a noisy environment. The good news is that our acoustic lights create ideal lighting conditions and an atmosphere in which we feel comfortable as part of an overall acoustic concept. Disturbing ambient noises can also be discreetly muffled by the special PET felt.

Ein gemütliches Café, jede Menge Zeit und neben uns ein guter Freund, der gerade eine wirklich spannende Geschichte erzählen will. Doch alles, was wir hören, sind klirrende Gläser und laute Gespräche vom Nachbartisch. Tja, eine schlechte Akustik kann ganz schön nervtötend sein. Und ein Geräusch schnell in Lärm umschlagen. Da überrascht es nicht, dass wir uns in einer lauten Umgebung nervös oder angespannt fühlen. Die gute Nachricht: Unsere Akustik-Leuchten schaffen als Teil eines gesamtheitlichen Akustikkonzepts optimale Lichtbedingungen und eine Atmosphäre, in der wir uns wohlfühlen. Auch störende Umgebungsgeräusche lassen sich dank des speziellen PET-Filzes dezent abdämpfen.




[weverducre.com/soft-acoustics](https://weverducre.com/soft-acoustics)



# SOLLI COCOON

CEILING SUSPENDED




**1.0**

LED COB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
artisanal hand blown glass  
PET felt material

IP20 SDCM2 L80|50K 0.70kg

CODE		
	238384MF_	
	238384LF_	
	238384OF_	

LIGHT COLOUR	LUMEN CRI	CODE
2700K	290 >90	3
3000K	310 >90	5




**2.0**

LED COB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
artisanal hand blown glass  
PET felt material

IP20 SDCM2 L80|50K 0.63kg

CODE		
	238484MF_	
	238484LF_	
	238484OF_	

LIGHT COLOUR	LUMEN CRI	CODE
2700K	290 >90	3
3000K	310 >90	5



**3.0**

Aluminium powder coated  
PET felt material

0.45kg





CODE	
	238500MF_
	238500LF_
	238500OF_





# MIRRO SOFT

CEILING | WALL SURFACE



## 2.0 CEILING

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 0.67kg

## 3.0 CEILING

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 1.20kg

## 2.0 WALL

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 0.67kg

## 3.0 WALL

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 1.20kg

	CODE
	6322E0MF0
	6322E0LF0
	6322E0IF0
	6322E0AF0

	CODE
	6323E0MF0
	6323E0LF0
	6323E0IF0
	6323E0AF0

	CODE
	6322E0MF0
	6322E0LF0
	6322E0IF0
	6322E0AF0

	CODE
	6323E0MF0
	6323E0LF0
	6323E0IF0
	6323E0AF0

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror

	CODE
2200K   371lm	9003E156
2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

	CODE
2700K   464lm	9003E157

G95 5.6W | E27 | phase-cut dim  
clear

	CODE
2700K   483lm	9003E160

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror

	CODE
2200K   371lm	9003E156
2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

	CODE
2700K   464lm	9003E157

G95 5.6W | E27 | phase-cut dim  
clear

	CODE
2700K   483lm	9003E160

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror

	CODE
2200K   371lm	9003E156
2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

	CODE
2700K   464lm	9003E157

G95 5.6W | E27 | phase-cut dim  
clear

	CODE
2700K   483lm	9003E160

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror

	CODE
2200K   371lm	9003E156
2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

	CODE
2700K   464lm	9003E157

G95 5.6W | E27 | phase-cut dim  
clear

	CODE
2700K   483lm	9003E160








# MIRRO SOFT

CEILING SUSPENDED



## 2.0

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 0.68kg/0.81kg

		CODE	
2.5m	6342E0MF0	2.5m	6342E0LF0
2.5m	6342E0IF0	2.5m	6342E0AF0
6m	6345E0MF0	6m	6345E0LF0
6m	6345E0IF0	6m	6345E0AF0

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror


		CODE	
2200K   371lm	9003E156	2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

		CODE	
2700K   464lm	9003E157		

G95 5.6W | E27 | phase-cut dim  
clear

		CODE	
2700K   483lm	9003E160		



## 3.0

G95 max. 15W | E27  
220-240VAC | 50-60Hz  
aluminium powder coated  
PET felt material

IP20 1.21kg/1.34kg

		CODE	
2.5m	6343E0MF0	2.5m	6343E0LF0
2.5m	6343E0IF0	2.5m	6343E0AF0
6m	6346E0MF0	6m	6346E0LF0
6m	6346E0IF0	6m	6346E0AF0

## OPTIONAL

G95 5.1W/5.6W | E27 | phase-cut dim  
gold mirror

		CODE	
2200K   371lm	9003E156	2700K   464lm	9003E142

G95 5.6W | E27 | phase-cut dim  
silver mirror

		CODE	
2700K   464lm	9003E157		

G95 5.6W | E27 | phase-cut dim  
clear

		CODE	
2700K   483lm	9003E160		





COMBINE IT WITH OTHER OPTIONS  
[weverducre.com/mirro](https://weverducre.com/mirro)



# TAPIS SOFT

WALL SURFACE




**1.0**

LED PCB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
PET felt material

IP20 SDCM3 L80|50K 1.67kg

	CODE
	336174WF_
	336174MF_
	336174LF_
	336174OF_

LIGHT COLOUR	LUMEN CRI	CODE
2700K	380 >90	3
3000K	390 >90	5




**2.0**

LED PCB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
PET felt material

IP20 SDCM3 L80|50K 1.08kg

	CODE
	336274WF_
	336274MF_
	336274LF_
	336274OF_

LIGHT COLOUR	LUMEN CRI	CODE
2700K	380 >90	3
3000K	390 >90	5




**3.0**

LED PCB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
PET felt material

IP20 SDCM3 L80|50K 1.14kg

	CODE
	336374WF_
	336374MF_
	336374LF_
	336374OF_

LIGHT COLOUR	LUMEN CRI	CODE
2700K	380 >90	3
3000K	390 >90	5



**4.0**

LED PCB 9W | phase-cut dim  
220-240VAC | 50-60Hz | incl. driver  
aluminium powder coated  
PET felt material

IP20 SDCM3 L80|50K 1.14kg



	CODE
	336474WF_
	336474MF_
	336474LF_
	336474OF_

LIGHT COLOUR	LUMEN CRI	CODE
2700K	380 >90	3
3000K	390 >90	5



# TAPIS SOFT





WALL SURFACE




**2.1**

Aluminium powder coated  
PET felt material

0.88kg





	CODE
	336200WFO
	336200MFO
	336200LFO
	336200OFO




**3.1**

Aluminium powder coated  
PET felt material

0.94kg





	CODE
	336300WFO
	336300MFO
	336300LFO
	336300OFO



**4.1**

Aluminium powder coated  
PET felt material

0.94kg

	CODE
	336400WFO
	336400MFO
	336400LFO
	336400OFO



DISCOVER MORE OF TAPIS  
weverducre.com/tapis

HELLO, CAN YOU HEAR ME?

# CONTACT

## HEAD OFFICE + SHOWROOM

### WEVER & DUCRÉ BV

Spinnerijstraat 99/21  
8500 Kortrijk  
Belgium  
Phone +32 56 49 28 00  
office@weverducre.com  
weverducre.com

## REPRESENTATIVE OFFICES

### MIDDLE EAST

Office No. 704, HDS Business Center  
Cluster M  
Jumeirah Lakes Towers, DMCC  
PO Box 336603 Dubai  
United Arab Emirates  
Phone +971 4 436 23 47  
office.me@weverducre.com

### NETHERLANDS

Design Post Amsterdam  
Cruquiusweg 111L  
1019, AG Amsterdam  
Phone +31 20 229 6001  
info.nl@weverducre.com

### NORWAY

Drammensveien 288  
0283 Oslo  
Phone +47 24 07 61 11  
office.no@weverducre.com

### SWITZERLAND

Kellerstraße 22  
6005 Lucerne  
Phone +41 41 361 60 60  
office.ch@weverducre.com

### SPAIN

Gran Via de les Corts Catalanes 654  
08010 Barcelona  
Phone +34 93 5112 189  
office.es@weverducre.com

## SHOWROOMS

### HONG KONG

RM. 1413, Block A, Sea View Estate  
2 Watson Road North Point | Hong Kong  
Phone +852 211 069 24  
Fax +852 310 640 96  
office.hk@weverducre.com  
office.cn@weverducre.com

### AUSTRIA

Gleisdorfer Gasse 15  
8010 Graz  
Phone +43 316 317 085 91  
office.at@weverducre.com

Marxergasse 1B  
1030 Vienna

Phone +43 1 526 47 84  
office.at@weverducre.com

### BELGIUM

Gare Maritime  
Picardstraat 7, bus 304  
1000 Brussel  
+32 56 492 800  
office@weverducre.com

### FINLAND

Sörnäistenkatu 1  
00580 Helsinki  
Phone +358 50 506 71 82  
office.fi@weverducre.com

### FRANCE

36, Rue Juliette Récamier  
69006 Lyon  
Phone +33 4 72 811 199  
office.fr@weverducre.com

10, Rue Pecquay

75004 Paris  
Phone +33 1 402 981 01  
office.fr@weverducre.com

### GERMANY

Europa-Allee 18  
60327 Frankfurt am Main  
Phone +49 69 2102959 0  
office.de@weverducre.com

Schanzenstraße 36, Geb. 234B  
51063 Cologne  
Phone +49 221 130 649 60  
office.de@weverducre.com

### ITALY

Via Monte Popera 4/2  
30027 San Donà di Piave - Venezia  
Phone +39 0421 177 83 88  
office.it@weverducre.com

### SWEDEN

Hårdvällsgatan 18  
115 46 Stockholm  
Phone +46 73 045 76 39  
office.se@weverducre.com

### UK

23 Batemans Row  
EC2A 3HH London  
Phone +44 203 174 01 77  
info.uk@weverducre.com

### POLAND

Diamond Business Park  
Posag 7 Panien Street no 1  
02-495 Warsaw  
Phone +48 730 330 358  
office.pl@weverducre.com

## 1<sup>ST</sup> EDITION, APRIL 2023, ©WEVER & DUCRÉ\* BV

All prices are non-binding recommended prices excluding VAT, lamps (bulbs) are not included. The prices and terms of payment stated in our order confirmation shall apply. To all prices and all extra expenses, we add the legally applicable value added taxes. Should our costs increase by the time of delivery, the prices can be recalculated on a pro rata basis. The prices stated shall apply net ex works. Information on availability as well as delivery terms and dates are provided as a point of reference only and are not binding. Prices are valid till the publication of a new price list. We expressly reserve the right to make changes in price, measurements and design. The details provided in this brochure were correct at the time of publication. They do not constitute any kind of obligation on our part and are for information only. We shall not be held liable for any discrepancies between the illustrations or descriptions given and the actual product neither for any misprints and/or typing errors. We reserve the right to make alterations or modifications to our products at any time. All mentioned RAL codes are indicative and approximative. We shall not be held liable for any discrepancies which may occur. All mentioned lumen, lifetime and SDCM values refer to white luminaires (in terms of finishing, covers or housings) in 3000K. Further values on request. The general terms and conditions of Wever & Ducré BV shall apply to all purchases and orders. The applicable version of the general terms and conditions can be viewed at [weverducre.com/en/downloads](http://weverducre.com/en/downloads). Graphic Design: Laura Gautsch, Print Production: Carola Friedrich, Illustration: Laura Gautsch, Product Visualisation: Johann Bara, Text: Tanja Petschnig, Lithography: Nicole Praus, Project Management: Katharina Schmidt, Victoria Prath, Printing: Druck Styria GmbH & Co. KG, Graz, Austria, Photography: Vogelsänger Studios GmbH & Co. KG (p. 4-5, 7, 10, 12, 14, 20, 24)

